

# NEW HOLLAND BOOMER™ TRACTOR IMPLEMENTS, ATTACHMENTS AND ACCESSORIES



GET THE POWER OF BLUE ON BLUE





# BLUE ON BLUE

## GET THE NEW HOLLAND PERFORMANCE ADVANTAGE

When you choose the high-performance of a Boomer™ tractor, it's only right to choose the matching New Holland implements, accessories and replacement parts that are the perfect fit. Don't compromise your Boomer tractor's performance or appearance with a different color attachment.

### PEAK PERFORMANCE

New Holland loaders, backhoes and mid-mount mowers are designed by New Holland engineers to be the ideal partners for New Holland Boomer tractors. A long list of additional New Holland front- and rear-mounted implements and attachments add to the versatility of your Boomer tractor.

### FAST IMPLEMENT CHANGES

New Holland makes it easy to move from job to job. You can attach and remove loaders, attachments and

implements fast. New Holland loaders are compatible with mid-mount mowers so both can be installed at the same time.

### PERSONALIZE YOUR BOOMER TRACTOR

New Holland allows you to create a tractor that's uniquely your own. Choose from a large assortment of New Holland accessories to customize your Boomer tractor, including a sunshade, soft cab, grille guard, rear worklight, radio, armrest and much, much more.

### PROTECT YOUR INVESTMENT

Only original New Holland parts meet your Boomer tractor's performance specifications. That's why it's important to keep your Boomer running in top condition with genuine New Holland lubricants, filters and replacement parts. Your local New Holland dealer has all the right parts, all in one place. There's no reason to go anywhere else.



## Table of Contents

### Implements and Attachments

FRONT	PAGE
Loaders .....	4-5
Front blade .....	6-7
Front snow blower .....	6-7
Front rotary broom .....	6-7
MID-MOUNT	
Mid-mount mowers .....	8
Grass catchers .....	8
REAR	
Utility backhoes .....	9
Finishing mowers .....	10
Flail mowers .....	10
Rotary cutters.....	10
Snow blowers.....	11
Rotary tillers .....	11
Posthole diggers .....	11

### Dealer Installed Accessories

Operator Platform and Controls .....	12-13
Hydraulics.....	14-15
Ballasting .....	16-17
Lighting and Safety .....	18-19
Genuine New Holland Accessories .....	20-21
Tires .....	22
Miscellaneous Attachments.....	22-23
Filters, Lubricants, Batteries, Paint .....	24-27





Visit [www.newholland.com/na](http://www.newholland.com/na) for more information on Boomer™ tractors.



# BOOMER™ FRONT-END LOADERS

AN APPEALING DESIGN THAT MAKES YOUR WORK EASIER

The complete line of Boomer™ front-end loaders makes fast work of moving gravel, hay, mulch, dirt or snow. And, their attractive design is also practical, making loader work easier on you.



## CURVED BOOM PROVIDES OUTSTANDING VISIBILITY

Take your seat behind the wheel and you'll find that you can easily see more of your bucket compared to other brand tractor-loader combinations. That's because the sleek, curved-boom design of Boomer loaders complements the sloped Boomer hood. This design not only provides better visibility, it also provides greater strength and less weight and mass than the "dog-leg" loader booms you'll find on other compact tractors.

## TIGHT TURNS WITHOUT RESTRICTION

The mid-mount loader design allows for complete turning without tire contact with the loader, regardless of tire size, so you can maneuver easily in horse stalls and other confined spaces.

## EASY CONTROL

The loader joystick is conveniently located for easy, right-hand operation. On deluxe Boomer models TC35DA, TC40DA and TC45DA, the joystick includes a push-button, on-the-go upshift/downshift for the transmission—that's an industry first!

## QUICK-CHANGE ARTIST

The Quick-Latch™ system allows you to install the loader in minutes and remove it just as quickly—without tools. Just disconnect the loader stand pin, lower the stand, remove retaining pins,

extend the lift cylinders, disconnect hydraulic lines and back away. Add the optional Quick-Attach faceplate (skid-steer loader compatible) to your Boomer loader (fits most loaders) for the ultimate in attachment versatility.

## RUGGED PERFORMANCE FEATURES

Boomer loaders are built to last. They'll provide superior performance year after year with features like these:

- Four-bar linkage provides greater dump angle and rollback for better filling and dumping (Models 12LA through 18LA).
- Large oval torque tube adds torsional strength to resist boom twisting.
- Heavy-duty pin construction includes a grease zerk in the end of each pin (not available on 7308 loader).
- Construction-grade boom ends provide years of reliability in tough conditions.



*The optional Quick-Attach (skid steer loader compatible) faceplate increases attachment versatility and reduces the time to change between buckets and attachments.*





See page 23 for  
Loader Buckets and  
Attachments.



Loader Model	Tractor Models	Lift capacity To max height @ bucket pivot pins lb (kg)	Lift capacity to max height @ 19.7 in (500 mm) forward, lb (kg)	Breakout Force @ bucket pivot pins, lb (kg)	Breakout Force @ 19.7 in (500 mm) forward, lb (kg)	Maximum Lift Height, in (mm)
10LA	TZ18DA, TZ22DA TZ25DA	662 (300)	464 (210)	1,361 (617)	953 (432)	69.6 (1768)
12LA	TC23DA, TC26DA	1,090 (494)	750 (340)	1,720 (780)	1,220 (553)	85.5 (2172)
7308	TC30	875 (397)	575 (260)	1,602 (727)	1,225 (555)	100.5 (2553)
14LA	TC29DA, TC33DA (2WD and FWD)	1,256 (570)	878 (398)	2,712 (1230)	1,906 (865)	98.4 (2499)
15LA	TC29DA, TC33DA (SuperSteer FWD)	1,291 (586)	905 (411)	2,752 (1248)	1,929 (875)	98.7 (2507)
16LA	TC35A, TC35DA (2WD and FWD)	1,800 (816)	1,386 (629)	3,186 (1445)	2,376 (1078)	105 (2667)
16LA	TC40A, TC40DA, TC45A, TC45DA (2WD and FWD)	2,000 (907)	1,540 (699)	3,540 (1606)	2,640 (1197)	105 (2667)
17LA	TC35A, TC35DA (SuperSteer FWD)	1,760 (798)	1,391 (631)	2,929 (1329)	2,223 (1008)	106 (2692)
17LA	TC40A, TC40DA, TC45A, TC45DA (SuperSteer FWD)	1,955 (887)	1,545 (701)	3,254 (1476)	2,470 (1120)	106 (2692)
18LA	TC48DA, TC55DA	2,500 (1134) 3,500 (1588) to 59 in (1.5 m)	1,830 (830)	5,000 (2268) 2,213 (1004) to 59 in (1.5 m)	3,114 (1412)	112.3 (2835)

# QUICK-ATTACH™ SUB-FRAME SYSTEM

## SWAP FRONT-MOUNTED ATTACHMENTS IN SECONDS

Boomer™ compact and sub-compact tractors offer a unique system that allows you to use one sub-frame with interchangeable front-mounted implements. It's so fast and easy, you'll appreciate

the convenience and time savings. The New Holland Quick-Attach™ sub-frame works with the front blades, snow blowers and rotary brooms listed.



*After the subframe is installed, you simply drive into the implement, lock the implement in position and connect the PTO.*





**Front Quick-Attach snow blower** cuts through snow up to 26 inches high, using a two-stage process to turn your Boomer into a powerful snow removal machine.

Model	Clearing Width	Tractor Requirements
50CS	50 inches	TZ18DA, TZ22DA, TZ24DA and TZ25DA
51CS	51 inches	TC21DA, TC23DA, TC24DA, TC26DA, TC30
63CS	63 inches	TC21DA, TC23DA, TC24DA, TC26DA, TC30
63CSH	63 inches	TC29DA, TC33DA
72CSH	72 inches	TC35DA, TC40DA, TC45DA



**Front Quick-Attach rotary broom** is ideal for clearing snow, leaves and debris from paved areas, and even de-thatches lawns when used with the optional side caster wheels.

Model	Clearing Width	Tractor Requirements
47CO	47 inches	TZ18DA, TZ22DA, TZ24DA and TZ25DA
60CO (not compatible w/SuperSteer)	60 inches	TC21DA, TC23DA, TC24DA, TC26DA, TC29DA, TC30, TC33DA, TC35DA, TC40DA, TC45DA
72CO	72 inches	TC29DA, TC30, TC33DA, TC35DA, TC40DA, TC45DA



**Front Quick-Attach dozer blade** makes easy work of removing snow, backfilling trenches or pushing sand, dirt or gravel.

Model	Blade Width	Tractor Requirements
54CB	54 inches	TZ18DA, TZ22DA, TZ24DA and TZ25DA
60CB	60 inches	TZ18DA, TZ22DA, TZ24DA and TZ25DA
60CBH	60 inches	TC21DA, TC23DA, TC24DA, TC26DA, TC30
72CB	72 inches	TC29DA, TC30, TC33DA
72CBH	72 inches	TC35DA, TC40DA, TC45DA
84CBH	84 inches	TC35DA, TC40DA, TC45DA



**Bolt-On Front Blade** allows you to use the brute strength of your Boomer utility tractor for outstanding pushing power to grade or move dirt, gravel, sand, and more.

Model	Blade Width	Tractor Requirements
702D	78 or 84 inches	TC48DA, TC55DA

# MID-MOUNT MOWERS

## EFFICIENT LAWN MAINTENANCE

New Holland mid-mount mowers turn your tractor into a highly productive mowing machine. Mid mounting makes it easy to mow right next to trees, shrubs and buildings and still keep an eye on the job.

High-speed blades provide excellent cut

quality on all models. The New Holland 84-inch deck is the largest in the industry and uses four GATOR MULCHER™ blades that feature a best-in-class blade overlap of one and a half inches. Free-floating, four-bar linkage allows all New Holland

mid-mount mowers to move up and down to follow ground contours. You can easily adjust mowing height, and the deck can be locked in the raised position when using the tractor for three-point hitch jobs.



Mid-Mount Mower Models	Cutting Widths	Tractor Compatibility
54CMS (side discharge)	54 inches	TZ18DA, TZ22DA, TZ24DA, TZ25DA
60CMS (side discharge)	60 inches	TZ18DA, TZ22DA, TZ24DA, TZ25DA
914A (side discharge)	54 inches	TC21DA, TC23DA, TC24DA, TC26DA
	60 inches	TC21DA, TC23DA, TC24DA, TC26DA
	72 inches	TC29DA, TC30, TC33DA
914A (rear discharge)	54 inches	TC21DA, TC23DA, TC24DA, TC26DA
	60 inches	TC29DA, TC30, TC33DA
	72 inches	TC29DA, TC30, TC33DA
	84 inches	TC35DA, TC40DA, TC45DA

# GRASS CATCHERS

**Quick-Attach grass catchers** allow you to collect grass clippings, or switch from bagging to side-discharge in minutes. Grass catchers are available for the 54CMS and 60CMS mid-mount mowers and for the 54- and 60-inch Model 914A mowers. Large bushel capacities keep your mowing stops to a minimum. Storage stands are standard equipment for easy removal.



Model	Capacity	Mower Deck Compatibility	Tractor Compatibility
9CG	12 Bushel (3 Bag System)	54CMS/60CMS Mid-Mount Rotary Mowers	TZ18DA, TZ22DA, TZ24DA, TZ25DA
914A	10 Bushel (3 Bag System)	914A (54"/60") Mid-Mount Rotary Mowers ONLY	TC21DA, TC23DA, TC24DA, TC26DA



# UTILITY BACKHOES

## DIG YOUR WAY OUT OF TIGHT SPOTS

Team your Boomer™ tractor with a New Holland utility backhoe and you can work in cramped spaces and dig to depths up to 114 inches. The compact design, low overall height and minimum soil

compaction make it the perfect combination for plumbers, builders, contractors, nursery owners, landscapers, or anyone who has to dig in tight quarters. Two levers provide for easy operation of boom,

dipper stick, bucket and swing. Controls are mounted in a low-profile console for unobstructed vision. Attaching and detaching the backhoe is a quick, easy, one-person job.



**See page 23 for information on Backhoe Buckets and Attachments.**

Visit [www.newholland.com/na](http://www.newholland.com/na) for full Boomer™ implement specifications.

Model	Digging Depth	Tractor Requirements
756C	72 inches (1,828.8 mm)	TC21DA, TC23DA, TC24DA, TC26DA, TC29DA, TC33DA, TC30
757C	90 inches (2,286 mm)	TC29DA, TC33DA, TC30, TC35A/35DA, TC40A/40DA TC45A/45DA, TC48DA, TC55DA
758C	102 inches (2,590.8 mm)	TC29DA, TC33DA, TC30, TC35A/35DA, TC40A/40DA TC45A/45DA, TC48DA, TC55DA
759C	114 inches (2,895.6 mm)	TC48DA, TC55DA

# REAR-MOUNTED IMPLEMENTS

A WIDE VARIETY OF TOOLS HELP YOU GET EVERY JOB DONE QUICKLY

You name it, Boomer™ tractors can do it. New Holland provides the ultimate selection of three-point mounted implements to fit your Boomer™ tractor. Take a look.



**Rear-mount Finishing Mowers** easily tackle big mowing jobs. The air tunnel design provides smooth cutting even in tall grasses.

Model	Cutting Width	Tractor Requirements
930B	4-, 5- and 6-foot	Under 40 PTO hp, with 540 rpm PTO and Category I three-point hitch



**Flail Mowers** use fine-cut blades that rotate at 2100 rpm to thoroughly mulch clippings for a smoother more finished cut. Cutting knives are mounted to a horizontal rotor. This vertical blade rotation reduces the chance of objects being thrown from the mower. Choose a light- or heavy-duty models.

Model	Cutting Width	Tractor Requirements
918L	50 or 60 inches	Under 30 PTO hp, with 540 rpm PTO and Category I three-point hitch
918H	60, 71 or 91 inches	Under 70 PTO hp, with 540 rpm PTO and Category I or II three-point hitch



**Rotary Cutters** quickly mow heavy grass, tall weeds and light brush and effortlessly shred corn stalks or other crop residue.

Model	Cutting Width	Gearbox	Three-Point Hitch Requirements Rating
951B	4-, 5- and 6-foot	30-40 HP	Category I
953B	5-, 6- and 7-foot	46-60 HP	Category I or II





**Rear-mounted Snow Blower** uses a two-stage design to throw and clear all types of snow—from light and fluffy to wet or hard-packed. The open-design auger prevents wet snow from building up.

Model	Blade Width	Tractor Requirements
64CSR	64 inches	TC29DA, TC30 and TC33DA
74CSR	74 inches	TC29DA, TC30, TC33DA, TC35A/35DA, TC40A/40DA, TC45A/45DA, TC48DA, TC55DA
84CSR	84 inches	TC35A/35DA, TC40A/40DA, TC45A/45DA, TC48DA, TC55DA



**Rotary Tiller** uses curved steel tines to prepare seedbeds or control weeds between the rows. Ideal for the demands of landscapers, truck farmers and nurseries.

Model	Available Width	Tractor Requirements
105A	40 inches	TZ18DA, TZ22DA, TZ24DA, TZ25DA, TC21DA, TC23DA, TC24DA, TC26DA
	52 inches	TZ18DA, TZ22DA, TZ24DA, TZ25DA, TC21DA, TC23DA, TC24DA, TC26DA, TC29DA, TC30, TC33DA
	60 inches	TC29DA, TC30, TC33DA
	72 inches	TC29DA, TC30, TC33DA
105A Heavy Duty	72 inches	TC35DA, TC40DA, TC45DA, TC48DA, TC55DA
	80 inches	TC35DA, TC40DA, TC45DA, TC48DA, TC55DA



**Posthole Digger** drills precise holes from 6 to 24 inches in diameter for fence installation or planting trees.

Model	Type of unit	Tractor Requirements
906	Light Duty	Maximum 35 PTO hp, Category I three-point hitch
	Medium Duty	Maximum 55 PTO hp, Category I or II three-point hitch
	Heavy Duty	Maximum 90 PTO hp, Category I or II three-point hitch

*See page 22 for Posthole Digger Augers and Attachments.*

# BOOMER™ TRACTORS DEALER INSTALLED ACCESSORIES

## OPERATOR PLATFORM AND CONTROLS

Customize your Boomer™ tractor with New Holland's wide selection of attachments and accessories. They add convenience, comfort and added efficiency while you're working with your tractor.

Chores get done more quickly and are far more pleasant when the operator is comfortable and protected. Take a look and see which of these accessories could help you work more productively.



**FOPS/Canopy** for Roll Bar protects operators from falling objects and shades you from the hot sun. Available on all Boomer™ models including TC30.







**Sunshade Canopy** improves your comfort and visibility by blocking the heat and glare of the sun. Available in blue or white. Available on all Boomer™ models including TC30.



**Soft Cab Enclosure** protects you from rain, wind and snow (includes base enclosure, top rear panels, glass windshield, hand operated windshield wiper; not compatible with canopy) Available on all Boomer™ models including TC30.



**ROPS Foldable Kit** allows you to fold the rollbar to fit under low overhangs or ceilings. Available on Models TC35A, TC40A, TC45A (Standard on all other Boomer™ Compact and Utility tractors).



**Left-hand Rearview Mirror** allows you to keep an eye on what's behind you while traveling on the road. Available on Models TC29DA, TC33DA, TC35A, TC35DA, TC40A, TC40DA, TC45A, TC45DA.



**Armrest Kit** adds to your comfort on long days on the job. Armrest flips up and out of the way when needed. Available on all Boomer™ models except TC30, TC35A, TC40A, TC45A.



**AM/FM Radio Kit** is weatherproof and vibration-resistant so you can enjoy music or stay in touch with news and weather reports while you work. Optional headphones available. Available on all Boomer™ models.

# HYDRAULICS

Your Boomer™ tractor has ample hydraulic power to run a variety of implements and attachments. Put every bit of that power to work for you with these hydraulic accessories that allow you to hook up to attachments—front or back.



**The Deluxe 3-Point Hitch Kit** includes flexible link ends and a crank-style height and leveling adjustment to make it extra-easy for one person to hook up to implements. **Available on Models TC35A, TC40A, TC45A.** A deluxe three-point hitch is standard equipment on the TC29DA, TC33DA, TC35DA, TC40DA, TC45DA, TC48DA, TC55DA.



**A Loader Mid-mount Remote Hydraulic Valve with Joystick Control Kit** puts loader control right at your fingertips (2 spool with simultaneous lift and curl function). **Available on all Boomer™ models and TC30.**



**Draft Control Kit** allows you to maintain the working depth or height of three-point-mounted implements. **Available on Models TC35A, TC35DA, TC40A, TC40DA, TC45A, TC45DA.**







**A Mounting Kit for 2 spool valve** can be installed on tractors that will be used with front-mounted implements other than a loader, including front blade, broom or snow blower. **Available on Models TZ18DA, TZ22DA, TZ25DA, TC21DA, TC23DA, TC24DA, TC26DA.**



**Hydraulic Tubing** for front mounted couplers allows you to hook up to a front broom, blade or snow blower when your tractor is not equipped with loader control valve. **Available on Models TZ18DA, TZ22DA, TZ25DA.** A tube stabilizer bracket is required to install a 2-spool remote valve without front loader on Models TC35A, TC35DA, TC40A, TC40DA, TC45A, TC45DA.



**Rear Remote Valve Kits** allow you to control multi-function, rear-mounted implements like a utility backhoe or snow blower. **Available on all Boomer™ models including the TC30.**



# BALLASTING

It's important to maintain a proper front-to-rear tractor weight balance when working with heavy attachments or implements. The following selection of ballasting accessories allows you to add necessary counterweight to the front or back of your Boomer tractor.



**Rear Wheel Weights** can be added to all Boomer™ tractors including the TC30.






A **Ballasting Box** attaches to the three-point hitch of all **Boomer™** Models, adding up to 500 pounds additional weight.




#### Front-End Weights

60- or 100-pound front-end weights can be added to the front bumper of all **Boomer™** tractors including the TC30.



**Front-End Carrier** holds up to five 60-pound weights or two (2 or 5--confirm) 100-pound weights. Use with all **Boomer™** tractors except the TC30 (not compatible with front-end loader).



**Rear Counterweight Bracket** mounts on the tractor three-point hitch of all **Boomer** tractors including the TC30 and accepts up to seven front-end weight segments.

# LIGHTING

If you work with your tractor at night, or during early morning hours or other low-light conditions, make sure you are seen with enhanced lighting!



**Rear 50-Watt Halogen Worklight** improves visibility to rear-mounted implements if you operate in the early morning or late evening hours. **Available on all Boomer™ tractors including the TC30** (mounting bracket required).



**On-Road Safety Lighting Kit** includes flashers, taillights and a wiring harness. This is sometimes referred to as "Ohio Lighting" and is required for operation on roadways in some states. **Models TZ18DA, TZ22DA, TZ25DA and TC30.**



# SAFETY

New Holland safety products keep you out of harms way, both on the job site and traveling between jobs. Consider how you will be using your Boomer™ tractor, and add supplemental visual lighting and audible alarms as needed to make others aware of your presence.



**Beacons** alert motorists and other equipment operators. New Holland offers a selection of halogen, strobe and rotating beacons to match your needs.



**A Back-up Alarm** warns passers-by or co-workers that you're traveling in reverse. It's a valuable addition if you'll be working with a loader, snow blower or other implement that requires frequent forward-reverse shifting.



**An SMV (Slow-Moving Vehicle) Sign** is a must if traveling on roadways from job to job with your Boomer™ tractor. SMV Signs are standard on all New Holland tractors from the factory. Additional or replacement SMV Signs are available through your New Holland dealer.





# GENUINE NEW HOLLAND ACCESSORIES

Additional optional accessories allow you to customize your Boomer™ tractor to your specific needs.



**Front Bumper/Grille Guard** protects your tractor from bumps when working in close quarters or when loading into trucks or trailers. All Boomer™ tractor models except TC30.



**Toolbox/Cupholder** allows you to keep gloves, hardware or tools handy. Available on Models TC35A, TC40A, TC45A. All other Boomer™ models come with standard toolbox.



**Step Kit** makes it easier to step onto the operator platform. (not compatible with 914A mower deck). Both left- and right-side steps are optional for the TC29DA, TC33DA and TC30. A left-side step is standard and right-side step is optional on the TC35A, TC40A, TC45A, TC48DA and TC55DA. (Both left and right steps are standard on the TC35DA, TC40DA, TC45DA.)





**A 2000-rpm Mid PTO** allows you to power a mid-mount mower or front Quick-Attach tools, including a rotary broom, blade or snow blower with the models TC21DA, TC23DA, TC24DA, TC29DA, TC33DA, TC35DA, TC40DA, TC45DA. (A mid PTO is standard equipment on TZ sub-compact tractors and some Boomer™ compact tractors equipped with hydrostatic transmissions.)




**Linkage Drawbar** allows you to hook up to trailers and other tow-behind equipment (stay kit required). **Available on all Boomer™ models including the TC30.**



**Engine Coolant Heater** is suggested for those in sub-freezing temperatures. **Available on all Boomer™ models including the TC30.**

**Boomer™ Decal**  
Show you're proud of your Boomer™ tractor! Add Boomer™ decals to rollbar or fenders.



**Swinging/Extendable Drawbar Kit** makes equipment hookup extra-easy. **Available for Models TC30, TC35A, TC40A, TC45A.** Standard on Models TC29DA, TC33DA, TC35DA, TC40DA, TC45DA. Not available on TZ Models, TC23DA, TC26DA.



**Cruise Control** makes it easy to maintain a pre-set speed when mowing large, open areas. **Available on Models TZ18DA, TZ22DA, TZ25DA, TC30.**

# TIRES

Boomer™ tractors are available with a choice of tires to match the jobs you do.

- **R1 "General Farming"** tires are designed for a wide variety of agricultural applications.
- **R3 "Turf"** tires are great for highway mowing, parks, orchards and light industrial applications
- **R4 "Industrial"** tires are ideal for light industrial applications, contractors, municipalities and rental yards
- **Galaxy\* "Turf Special"** tires feature a huge contact area and low ground pressure to preserve the turf on golf courses and grounds maintenance jobs.



Ag Tire



Industrial Tire



Turf Special Tire



Turf Tire

## Models

	R1 Ag Tires	R3 Turf Tires	R4 Industrial Tires	Galaxy* Turf Special Tires
<b>Boomer™ Sub-Compact Tractors</b> TZ18DA, TZ22DA, TZ25DA	•	•	---	---
<b>Boomer™ Compact Tractors</b> TC21DA, TC23DA, TC24DA, TC26DA, TC30	•	•	•	---
<b>Boomer™ Compact Tractors</b> TC29DA, TC33DA, TC35A, TC35DA, TC40A, TC40DA, TC45A, TC45DA	•	•	•	•
<b>Boomer™ Utility Tractors</b> TC48DA, TC55DA	•	•	•	•

\* Galaxy is a registered trademark of Galaxy Tire & Wheel, Inc.

NOTE: Front-end loader installation not compatible with tractors equipped with Galaxy "Turf Special" golf and turf tires.

# POSTHOLE DIGGER AUGERS AND ATTACHMENTS

Auger Size	906 Light-Duty	906 Medium-Duty	906 Heavy-Duty
6 in. Semi-Double Flight Auger	•	•	•
9 in. Semi-Double Flight Auger	•	•	•
9 in. Double Flight Auger	•	•	•
12 in. Semi-Double Flight Auger	---	•	•
12 in. Double Flight Auger	---	•	•
14 in. Double Flight Auger	---	•	•
18 in. Double Flight Auger	---	•	•
24 in. Double Flight Auger	---	---	•



Optional equipment for all 906 posthole diggers:

- Down pressure kit
- Auger positioning handle
- Parking stand



# LOADER ATTACHMENTS

*NOTE: Heavy-Duty buckets include heavy-duty cutting edge with holes for bolt-on cutting edge.*

Pin-On Loader Buckets Description	Heaped Capacity	Loader Models
48 in. Standard Material Bucket	0.26 cu. ft.	10LA
48 in. Standard Material Bucket	0.33 cu. ft.	12LA
48 in. High-Capacity Material Bucket	0.39 cu. ft.	12LA
54 in. Standard Material Bucket	0.40 cu. ft.	12LA
54 in. High-Capacity Material Bucket	0.46 cu. ft.	12LA
60 in. Standard Material Bucket	0.39 cu. ft.	14LA, 15LA, 16LA, 17LA
60 in. Standard Material Bucket	0.40 cu. ft.	7308
60 in. Heavy-Duty Material Bucket	0.41 cu. ft.	14LA, 15LA, 16LA, 17LA
60 in. Heavy-Duty Material Bucket	0.43 cu. ft.	7308
68 in. Heavy-Duty Material Bucket	0.46 cu. ft.	14LA, 15LA, 7308
68 in. High-Capacity Material Bucket	0.58 cu. ft.	14LA, 15LA
72 in. Standard Material Bucket	0.47 cu. ft.	16LA, 17LA
72 in. Heavy-Duty Material Bucket	0.50 cu. ft.	16LA, 17LA
72 in. Light Material, High-Capacity Bucket	0.76 cu. ft.	18LA
72 in. Heavy-Duty Material, High-Capacity Bucket	0.64 cu. ft.	18LA
<b>Quick-Attach Face Plate</b> (Skid Steer Loader compatible, required for Quick-Attach Buckets and Attachments)		<b>Loader Models</b> 14LA, 15LA, 16LA, 17LA, 18LA
Quick-Attach Loader Buckets Description	Heaped Capacity	Loader Models
60 in. Heavy-Duty Material Bucket	0.43 cu. ft.	14LA, 15LA, 16LA, 17LA
68 in. Heavy-Duty Material Bucket	0.46 cu. ft.	14LA, 15LA
72 in. Heavy-Duty Material Bucket	0.51 cu. ft.	16LA, 17LA
72 in. Light Material, High-Capacity Bucket	0.76 cu. ft.	18LA
72 in. Heavy-Duty Material, High-Capacity Bucket	0.64 cu. ft.	18LA
<b>Bolt-On Cutting Edges (double-edge and reversible)</b>		<b>Loader Models</b>
For 60 in. Heavy-Duty Bucket		14LA, 15LA, 16LA, 17LA, 7308
For 68 in. Heavy-Duty Bucket		14LA, 15LA, 7308
For 72 in. Heavy-Duty Bucket		16LA, 17LA
For 72 in. Heavy-Duty, High-Capacity Bucket		18LA

# UTILITY BACKHOE ATTACHMENTS

Backhoe Bucket Description	Heaped Capacity	Models
9 in. Standard Duty, 2 teeth	0.87 cu. ft.	756C, 757C
12 in. Standard Duty, 3 teeth	1.24 cu. ft.	759C
12 in. Heavy Duty, 3 teeth	1.24 cu. ft.	756, 757C, 758C
16 in. Heavy Duty, 3 teeth	1.76 cu. ft.	756, 757C, 758C, 759C
18 in. Standard Duty, 4 teeth	2.02 cu. ft.	759C
18 in. Heavy Duty, 4 teeth	2.02 cu. ft.	758C
24 in. Standard Duty, 5 teeth	0.82 cu. ft.	757C, 759C
24 in. Heavy Duty, 5 teeth	2.82 cu. ft.	758C
36 in. Grave, 6 teeth	4.00 cu. ft.	757C
36 in. Muck, 6 teeth	4.00 cu. ft.	757C



**Optional equipment for all backhoe models:**

- Street Pads (12 sq. in.)
- Big Foot Dirt Pads
- Stabilizer hydraulic lockout valve kit

## ADDITIONAL ATTACHMENTS

**Saf-T-Cab Products** for 16LA/17LA Loaders

**Operator Protection Barrier (OPB).**

Includes barrier device, hardware kit, special brackets to mount optional FOPS canopy, rubber grommets for top of the FOPS canopy and installation instruction sheet.

**Operator Protection Grill (OPG).**

Includes grill barrier, hardware and installation instruction sheet.

# LOYAL SUPPORT FROM YOUR NEW HOLLAND DEALER

Your New Holland dealer stands ready to support you with the equipment, parts, service and financing you need. After the sale, turn to your dealer for the genuine New Holland parts to keep your tractors and equipment running smoothly.

New Holland parts and components are specially designed and engineered for your New Holland equipment.

## Superior engineering

To ensure you receive a quality, genuine New Holland part every time, the New Holland parts engineering department is on the job. Parts and components must meet New Holland's stringent engineering standards. Specifications and tolerances are tight, some as strict as  $\pm 0.0001$  of an inch. Detailed records are also kept on each part, a requirement of ISO9000 certification. The competitive "will-fit" parts that are designed to fit multiple brand products don't have this same level of precision, and as a result, don't offer the same assurance of life and performance as genuine New Holland parts.

## Earning and keeping your trust

All New Holland service parts must meet or exceed the original OEM (original equipment manufacturer) specifications and are reviewed continually for quality improvement with the latest technology.







## EXPERT SERVICE

Trust the service professionals at your New Holland dealership to keep your Boomer™ tractor and equipment operating in top condition.

New Holland technicians are factory-trained in the latest service and diagnostic techniques, and can provide an

important added dimension to maintenance—the ability to spot signs of trouble early—signs you might overlook. Your dealer can tell you more about these service programs:

- Maintenance Inspections—a thorough checklist ensures nothing is overlooked
- Service Plus Annual Maintenance Program—each service decal symbolizes a completed service, which may increase the resale value for your tractor.
- Planned Maintenance Agreement—ensures that you don't lose precious time thinking about tune-ups, machine inspections, storage preparation, and other repairs.



## FINANCIAL SOLUTIONS

In addition to offering the most innovative, advanced tractors and equipment, your New Holland dealer supports you with the most advanced financial solutions. Through CNH Capital, your New Holland dealer can help you with:

- Flexible, competitive-rate financing
- Lease plans
- Insurance plans, including physical damage, credit life and liability

Your New Holland dealer will work with you to develop plans that are custom-tailored to your needs.

Financing provided by

# CNH Capital

# ALL THE RIGHT PARTS — ALL IN ONE PLACE

You've placed your confidence in the finest tractor, so be sure to maintain it with the finest oils, filters and parts. You'll find everything you need at one location — your New Holland dealer.



## Oils and Lubricants

When it comes to superior protection and performance, New Holland oils and lubricants are among the finest in the industry. You'll find a selection of engine oils, hydraulic oils, transmission oils, automatic transmission fluids, gear oils and greases to suit your needs at your New Holland dealership.







### Filters

New Holland engine oil, hydraulic oil, fuel and air filters are designed to trap more of the small contaminants that are most damaging to today's modern engines. While other filters on the market may fit your engine, only genuine New Holland filters are guaranteed to provide maximum protection. Many filter manufacturers use cardboard seals and end caps, which can deteriorate or leak. New Holland filters use a rubber seal and solid metal end caps to protect your investment.



### Touch up paint

New Holland paint is a perfect color match to keep your tractor looking like new. It also provides lasting protection against rust, corrosion and fading.

Visit [www.newholland.com/na](http://www.newholland.com/na) to learn more about genuine New Holland-branded parts.



### Batteries

You get dependable starts from New Holland batteries. Genuine New Holland batteries offer higher cold-cranking amps (CCA), and they are designed with epoxy-flooded, bottom-anchored grids to extend battery life and withstand vibration.

- Large intercell connectors for more starting power
- Rugged polypropylene shell for extended life
- Computer-designed radial grid for faster starts
- Flooded epoxy bonding for vibration resistance

### Mower blades

New Holland high-lift mower blades are designed expressly for your New Holland mower, with durable construction to stand up to tough mowing conditions.



### Boomer™ Maintenance Kits

For those who prefer to conduct maintenance duties themselves, your New Holland dealer has everything you need. A 100-hour maintenance kit makes it easy to keep your Boomer™ tractor running smoothly season after season. The kit bundles everything you need for easy upkeep—grease, oil, fuel filters and MasterGold™ multi-grade engine oil for your specific Boomer™ model.



*Use the Product Counselor to help find the BOOMER™ that's just right for you.*



The New Holland Product Counselor can help you make the right selection. Simply log on to [www.newholland.com/na](http://www.newholland.com/na) and click on "Product Counselor". After you answer a few questions about the tasks you want to accomplish with your Boomer™ tractor, the Product Counselor does the rest, directing you to the Boomer model that best matches your needs. Then visit your New Holland dealer to see Boomer tractors in person. Be sure to ask about the attractive finance and lease plans offered by CNH Capital. Your New Holland dealer stands ready to answer all of your questions, and will support you after the sale with quality parts and service.

## YOUR NEW HOLLAND DEALER

Visit our Web site at [www.newholland.com/na](http://www.newholland.com/na) Or, call toll-free: 1-888-290-7377



**NEW HOLLAND IS A BRAND OF CNH.**  
A GLOBAL LEADER IN AGRICULTURAL AND CONSTRUCTION EQUIPMENT AND FINANCIAL SERVICES.

Design, materials and/or specifications are subject to change without notice and without liability therefor. Specifications are applicable to units sold in Canada, the United States, its territories and possessions, and may vary outside these areas.



Safety begins with a thorough understanding of the equipment. Always make sure you and your operators read the Operator's Manual before using the equipment. Pay close attention to all safety and operating decals and never operate machinery without all shields, protective devices and structures in place.

